



1300 Pacific Avenue
Natrona Heights, PA 15065
Tel: 724-226-6259
ATImetals.com

Terrence L. Hartford
Vice President and General Manager - Sheet

Thomas J. Matway
Vice President and General Manager - Specialty Coiled Products

Jeffrey H. Thompson
Vice President and General Manager – Specialty Plate

May 30, 2014

Dear Valued Customer:

Subject: Price Announcement

As an update to our May 2, 2014 Price Announcement and effective with shipments beginning on June 2, 2014, ATI Flat Rolled Products is increasing prices for all grades of continuous-mill-plate (CMP), plate-mill-plate and hot-rolled sheet and strip by \$0.02/lb. In addition, hot-rolled tubular quality sheet and strip will increase by approximately \$0.02/lb. by reducing the functional discount by one percentage point.

In addition, ATI Flat Rolled Products will increase the base prices of ATI 201HP™ and ATI 201LN™ for cold-rolled sheet and strip, tubular quality sheet and strip, plate mill plate and Precision Rolled Strip® products per the attached price schedules.

This action is necessary to support continued growth and investment in our business. We appreciate your continued support as we implement these price increases. Please contact your ATI Flat Rolled Products sales representatives for further details.


Sincerely yours,



Terrence L. Hartford
Vice President and General Manager – Sheet



Thomas J. Matway
Vice President and General Manager – Specialty Coiled Products



Jeffrey H. Thompson
Vice President and General Manager – Specialty Plate



Cold-Rolled Stainless Sheet Price Schedule

Dollars per Pound

Base Prices

Type	ATI 201HP™	ATI 201LN™	ATI 301™	ATI 304™	ATI 304L™	ATI 305™	ATI 309S™	310S™
Base	1.40	1.50	1.34	1.40	1.50	2.16	2.77	3.71
Type	ATI 316™	ATI 316L™	ATI 317L™	ATI 321™	ATI 347™	ATI 410™	ATI 430™	ATI 436S™
Base	1.98	1.98	2.49	1.94	2.45	0.89	0.79	1.07
Type	ATI 439™	ATI 441™	ATI 444™					
Base	0.97	1.01	1.51					

Combined Gauge and Width Extras

U.S.S. GAUGE NO.	THICKNESS RANGE	Polish Extras	Kool Line® Finish Extras	200 and 300 Series Coils			400 series Coils		
				WIDTH--Inches			WIDTH--Inches		
				36 Exact	42 Exact	48 Exact	36 Exact	42 Exact	48 Exact
8	.1601-.1874	Inquire	Inquire	0.5250	0.5700	0.4200	0.5250	0.6200	0.4200
9	.1451-.1600	Inquire	Inquire	0.4500	0.5700	0.3600	0.5250	0.6200	0.4200
10	.1301-.1450	0.1900	Inquire	0.4500	0.5700	0.3600	0.5250	0.6200	0.4200
11	.1141-.1300	0.1775	Inquire	0.4500	0.5700	0.3600	0.5250	0.6200	0.4200
12	.0981-.1140	0.1650	0.1150	0.4500	0.5700	0.3600	0.5250	0.6200	0.4200
13	.0831-.0980	0.1650	0.1150	0.4500	0.5700	0.3600	0.5250	0.6200	0.4200
14	.0721-.0830	0.1750	0.1200	0.4500	0.5700	0.3600	0.5250	0.6200	0.4200
15	.0651-.0720	0.1750	0.1200	0.4625	0.5800	0.3700	0.5375	0.6300	0.4300
16	.0581-.0650	0.1750	0.1200	0.4750	0.5900	0.3800	0.5375	0.6400	0.4300
17	.0521-.0580	0.1750	0.1200	0.4875	0.6100	0.3900	0.5500	0.6500	0.4400
18	.0461-.0520	0.1750	0.1200	0.5125	0.6200	0.4100	0.5625	0.6600	0.4500
19	.0401-.0460	0.1750	0.1200	0.5500	0.6500	0.4400	0.5875	0.6800	0.4700
20	.0351-.0400	0.2050	0.1450	0.6375	0.8500	0.5100	0.6625	0.7400	0.5300
21	.0321-.0350	0.2050	0.1450	0.8250	0.9500	0.6600	0.7875	0.9500	0.6300
22	.0291-.0320	0.2150	0.1500	0.9125	1.0200	0.7300	0.8500	1.0100	0.6800
23	.0261-.0290	0.2200	0.1550	1.0750	1.1500	0.8600	1.0125	1.1400	0.8100
24	.0231-.0260	0.2250	0.1575	1.1625	1.2300	0.9300	1.0750	1.2000	0.8600
25	.0199-.0230	Inquire	0.1675	1.2500	1.4300	1.0000	1.1750	1.2800	0.9400
26	.0178-.0198	Inquire	0.1775	1.4000	1.6500	1.1200	1.3000	1.3600	1.0400
27	.0161-.0177	-	0.4400	1.5625	1.8700	1.2500	1.7375	Inquire	Inquire
28	.0150-.0160	-	0.4400	1.6000	2.1100	1.2800	1.8875	Inquire	Inquire

Notes:

Stainless steels are produced to ordered thickness, expressed in decimals or fractional parts of an inch to which thickness tolerances are applied. Gauge numbers are only a guide; they do not necessarily establish thickness standards.

The 36", 42", and 48" Combined Gauge & Width Extras may not apply to all grades, please inquire to determine which extra/s is appropriate.

Please inquire concerning non-standard widths.

EFFECTIVE SHIPMENT: 6-2-14

SUPERSEDES: 5-2-14

DATED: 5-30-14

TUBULAR QUALITY PRICE SCHEDULE

Price per Pound

† Denotes Change

BASE PRICES

TYPE	BASE
ATI 201™	\$ 1.40
ATI 301™	\$ 1.34
ATI 304™	\$ 1.40
ATI 304L™	\$ 1.40
ATI 316™	\$ 1.98
ATI 316L™	\$ 1.98
ATI 316L™ - HR	\$ 1.92
ATI 317L™	\$ 2.49
ATI 317LN™	\$ 2.97
ATI 317LX™	\$ 2.97
ATI 317LXN™	\$ 4.06
ATI 321™	\$ 1.94
ATI 309S™	\$ 2.77
ATI 310S™	\$ 3.71
ATI 347™	\$ 2.45

SIZE EXTRAS

GAUGE	THICKNESS	48" EXTRA
14+	Over .0720	\$ 0.36
15	.0651-.0720	\$ 0.37
16	.0581-.0650	\$ 0.38
17	.0521-.0580	\$ 0.39
18	.0461-.0520	\$ 0.41
19	.0401-.0460	\$ 0.44
20	.0351-.0400	\$ 0.51
21	.0321-.0350	\$ 0.66
22	.0291-.0320	\$ 0.73
23	.0261-.0290	\$ 0.86
24	.0231-.0260	\$ 0.93
25	.0199-.0230	\$ 1.00
26	.0178-.0198	\$ 1.12
27	.0161-.0177	\$ 1.25
28	.0150-.0160	\$ 1.28

CHEMISTRY EXTRAS

CARBON		
304(L)/316(L)	.03 max	\$ 0.0500
304(L)/316(L)	.04 max	\$ 0.0400
304(L)/316(L)	.05 max	\$ 0.0350
MOLY		
316/316L	2.25 min	\$ 0.0200
316/316L	2.50 min	\$ 0.0600
316/316L	2.75 min	\$ 0.1000
317/317L	3.50 min	\$ 0.0800
317/317L	3.75 min	\$ 0.1200
NICKEL		
301	7.00 min	\$ 0.0575
304/304L	8.50 min	\$ 0.0300
304/304L	9.00 min	\$ 0.0575
304/304L	9.50 min	\$ 0.0875
NITROGEN, incl LN & LXN		
304/304L	.10 min	\$ 0.0800
316/316L	.10 min	\$ 0.0800
317/317L	.10 min	\$ 0.0800
COBALT		
304/304L	.03 max	\$ 0.2500
304/304L	.05 max	\$ 0.3500
316/316/L	.03 max	\$ 0.2500
316/316/L	.05 max	\$ 0.3500

The nominal or mean thickness determines the size extra to apply.

DEDUCTORS

	Deduct
Hot Roll	\$0.03
Mill Edge	\$0.02

HOT ROLLED TQ WIDTH EXTRAS

WIDTH - INCHES	EXTRA
42" and over	\$0.00
36" to under 42"	\$0.05
24.1" to under 36"	\$0.08

SLITTING EXTRAS

WIDTH - INCHES	EXTRA
5" to 24"	\$0.03
.900" to under 5"	\$0.08
.500" to under .9"	\$0.12

FINISH EXTRAS

2B/2D/1B/1D	None
Bright Anneal	\$.19

PRICING SEQUENCE

1. Base plus Size Extra less applicable Discount
2. Plus any Slitting, Width, Chemistry, and Finish extras
3. Less any Hot Rolled and/or Mill Edge Deductors
4. Increase price by Cold Rolled Nonstandard Width Factor where applicable.

Cold Rolled Nonstandard Width Factor

Widths greater than 24" to less than 48"

= 48" wide price x (48 ÷ ordered width)



Price Bulletin

Stainless PMP Price Schedule

US \$/lb

BASE PRICES

Type No.	201LN	304	304L	309/S	310/S	316L	317L	317LMN	321	347
Base \$	\$ 1.62	\$ 1.62	\$ 1.66	\$ 3.34	\$ 4.28	\$ 2.26	\$ 3.08	\$ 4.20	\$ 2.63	\$ 2.79

Type No.	409	410	430
Base \$	\$ 2.28	\$ 1.96	\$ 2.23

SIZE EXTRAS

Fractions	Decimals	48" to 96"
3/16	.1875 - .249	\$ 0.70
1/4	.250 to .3749	\$ 0.65
3/8 to 1/2	.375 to .500	\$ 0.32
>1/2 to 2.0	.5001 to 2.00	\$ 0.34
>2.0 to 4.0	2.001 to 4.00	\$ 0.54
>4.0	4.001 & up	Inquire

PRICE BUILD

Base
 + Size Extra
 Less Discount

 = Net Price
 + All Adders
 + Freight

 + All Surcharges

 = Invoice Price

MISCELLANEOUS ADDERS (US \$ / LB)

Exact Length	\$ 0.05
High Carbon "H" Stainless	\$ 0.05
Mill Dept	\$ 0.08
Width > 48" & < 72"	\$ 0.05
Nuclear Extra	\$ 0.12

Pricing subject to change...call your ATI Flat Rolled Products sales representative for a quotation

Effective with Orders: 6/2/14

Supersedes Schedule: 6/21/12

Issue Date: 5/30/14



Precision Rolled Strip® Price Schedule

Dollars per Pound

Base Prices

Type	201	301	304	304L	305	309/309S	310	316L/316Ti
Base	1.40	1.34	1.40	1.50	2.16	2.77	3.71	1.98

Type	317L	321	347	430	434	436S	439	468
Base	2.49	1.94	2.45	0.79	0.99	1.07	0.97	1.00

200, 300, and 400 Series Coils

Gauge Extras

Thickness Range	Base Size Extras
.0150-.0160	1.90
.0140-.0149	1.98
.0130-.0139	2.04
.0120-.0129	2.10
.0110-.0119	2.18
.0100-.0109	2.26
.0090-.0099	2.34
.0080-.0089	2.40
.0070-.0079	2.47
.0060-.0069	2.55
.0050-.0059	2.60
.0045-.0049	2.67
.0040-.0044	2.69
.0035-.0039	2.80
.0030-.0034	3.18
.0025-.0029	3.60
.0020-.0024	4.66
< .002	Inquire

Slitting Extras

Widths <0.2499	Width Range 0.2500 - 0.499	Width Range 0.5000 - 0.999	Width Range 1.000 - 3.999	Width Range 4.000 - 11.999	Width Range 12.000 - 17.999	Width Range 18.000 - 24.000
0.23	0.15	0.11	0.08	0.07	Inquire	0.05
0.31	0.19	0.14	0.11	0.08	Inquire	0.07
0.31	0.19	0.14	0.11	0.08	Inquire	0.07
0.31	0.19	0.14	0.11	0.08	Inquire	0.07
0.31	0.19	0.14	0.11	0.08	Inquire	0.07
0.43	0.27	0.19	0.15	0.11	Inquire	0.09
0.43	0.27	0.19	0.15	0.11	Inquire	0.09
0.43	0.27	0.19	0.15	0.11	Inquire	0.09
0.64	0.40	0.27	0.19	0.15	Inquire	0.12
0.64	0.40	0.27	0.19	0.15	Inquire	0.12
0.78	0.49	0.33	0.23	0.18	Inquire	0.14
0.78	0.49	0.33	0.23	0.18	Inquire	0.14
0.78	0.49	0.33	0.23	0.18	Inquire	0.14
0.78	0.49	0.33	0.23	0.18	Inquire	0.14
1.25	0.73	0.43	0.30	0.23	Inquire	0.18
1.25	0.73	0.43	0.30	0.23	Inquire	0.18
Inquire	Inquire	Inquire	Inquire	Inquire	Inquire	Inquire

Product Specific Extras

Tension Level, Degreasing, Temper, and Bright Anneal

Thickness Range	Tension leveling				Degreasing	Temper	Bright Anneal
	Stainless	Super Stainless	High Nickel HTA	Titanium	All Products	All Products	All Products
.0150-.0160	\$0.07	\$0.11	\$0.14	\$0.28	\$0.07	\$0.10	\$0.05
.0100-.0149	\$0.10	\$0.15	\$0.20	\$0.40	\$0.09	\$0.10	\$0.10
.0060-.0099	\$0.16	\$0.24	\$0.32	\$0.64	\$0.15	\$0.15	\$0.10
.0030-.0059	\$0.30	\$0.45	\$0.60	\$1.20	\$0.30	\$0.25	\$0.12
.0020-.0029	\$0.60	\$0.90	\$1.20	\$2.40	\$0.60	\$0.40	\$0.15
< .002	Inquire	Inquire	Inquire	Inquire	Inquire	Inquire	Inquire

Price Build Formula

- Alloy Base Price
- + Base Size Extra
- Less Applied Discount
- + Slitting Extra
- + All Additional Extras
- Final Base Sales Price

Notes: Stainless steels are produced to ordered thickness, expressed in decimals or fractional parts of an inch to which thickness tolerances are applied.

All base prices, gauge, and width extras apply to Full Yield of Coil quantities.

Less than Full Yield of Coil quantities are subject to inquiry.

Super Stainless Grades are - 29-4C, AL6XN, 2205, Am-350, AM-355, 332, 334, 15-7 and 17-7

Effective with shipments 6/1/14.

Supersedes schedule dated 11/1/10